

# Company Profile

BUILT TO LAST



Spark Fiberglass is a leading manufacturer and supplier of high-performance Fiberglass-Reinforced Plastic (FRP) products in Saudi Arabia. With a strong commitment to innovation, we specialize in providing durable, lightweight, and corrosion-resistant solutions for various industries.

Our products are meticulously engineered to meet the highest standards of quality, sustainability, and safety, making them the preferred choice for clients across the Middle East. Whether for water storage, industrial use, or infrastructure projects, Spark Fiberglass ensures that every product is built for longevity and efficiency.

At Spark Fiberglass, we believe in precision, reliability, and performance. Our mission is to provide top-tier fiberglass solutions that contribute to the success of industries worldwide.



### OUR VALUES

### VISION

Our vision is to establish ourselves as the premier manufacturer of composite products in Saudi Arabia. We are dedicated to surpassing our clients' expectations by prioritizing safety, security, and delivering products of the highest quality.

### MISSION


Our mission is to be a key contributor to the world of composite products, committed to offering our customers high-quality, cost-effective, and eco-friendly solutions.





# SPARK MANHOLES & INSERTS

Fiberglass manholes are increasingly preferred over concrete in new installations. The highly corrosive environment of sanitary sewer lines often leads to leaks in concrete manholes and, more critically, infiltration. Infiltration allows groundwater to enter the sewer system, placing additional strain on the infrastructure and driving up operational costs. Spark Manholes and Liners offers the optimal solution for structural infrastructure manholes and a variety of related accessories and applications.




SPARK supplies both Flat top and Cone top Manholes. The selection of the structural manhole type is based on the shell height. For cone top type Manholes, the required shell height is measured from the cone shoulder down to the bottom.

Type A	H = 1000 mm - 1900 mm
Type B	H = 2000mm - 3600mm
Type C	H = 3700mm - 7600mm



SPARK produces high-strength, high load-bearing composite manhole covers, which can be customized to meet specific customer requirements, including low or zero shrinkage, electrical conductivity, fire retardancy, enhanced chemical resistance, and tailored surface finishes.

SPARK
MANHOLE
COVERS





## BUILT TO LAST

8164 Bqaiq 240, 3558 3rd Industrial City, 34857,

Dammam, KSA

+966 55 890 0952

info@sparkfiberglass.com www.sparkfiberglass.com